

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

modeling user state multiple sensors receiving

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 30 of about 73 for **modeling user state multiple sensors receiving providing information va**

Interface for exchanging context data - Patent 20060031181

In addition to the various **user-worn user** input devices, the computer can also **receive information** from various **user sensor** input devices 116 and from ...

www.freepatentsonline.com/20060031181.html - 99k - [Cached](#) - [Similar pages](#)

Managing interactions between computer **users'** context **models** ...

Techniques are described for **providing information** about a current **state** that is ... For example, context **server** 310 provides **values** for **user.location** ...

www.freepatentsonline.com/7058893.html - 185k - [Cached](#) - [Similar pages](#)

[[More results from www.freepatentsonline.com](#)]

Automated pushing of computer **user's** context data to clients ...

Techniques are described for **providing information** about a current **state** that is

When **multiple** content servers supply **values** for the **same attribute**, ...

www.patentmonkey.com/PM/patentid/7225229.aspx - 289k - [Cached](#) - [Similar pages](#)

EP1272917 Tangis european software patent - Interface for ...

A wearable computer can **receive information** about its surroundings using **sensors**,

For example, a first context **server** can supply a **value** for a **user**. ...

gauss.ffii.org/PatentView/EP1272917 - 144k - [Cached](#) - [Similar pages](#)

EP1314102 Tangis european software patent - Thematic response to a ...

Other **user-worn body sensors** can **provide** a variety of ty of **information**, If **multiple** instances are present and a **source** is not specified, ...

gauss.ffii.org/PatentView/EP1314102 - 260k - [Cached](#) - [Similar pages](#)

Thematic response to a computer **user's** context, such as by a ...

For example, a variety of **sensors** can **provide information** about the current physiological **state** of the **user**, geographical and spatial **information** (e.g., ...

www.patentstorm.us/patents/7080322-description.html - 214k - [Cached](#) - [Similar pages](#)

A

In particular, the a **state** allows explicit **modeling** of **multiple** constructors in C++.

Sensor provide for human and property safety e.g., if its path is ...

www.ooguru.net/a.htm - 206k - [Cached](#) - [Similar pages](#)

Data Processing: Financial, Business Practice, Management, Or Cost ...

A method of **providing** a **user** with shipping **information** includes **receiving** a

The **source** data comes from **multiple** sources and on **multiple** topics. ...

www.freshpatents.com/x1705001000psbc.php - 440k - [Cached](#) - [Similar pages](#)

[PDF] Distributed Context Monitoring for the Adaptation of Continuous ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

(e.g., **user**, **sensors**, devices, transaction logs) and **multiple** sources may also. **provide** conflicting **values** for the same type of data (e.g., location can be ...

webmind.dico.unimi.it/care/wwwj07.pdf - [Similar pages](#)

[PDF] **Model-driven Design of Geo-information Services**

File Format: PDF/Adobe Acrobat

multiple model-driven compositions for the construction of complex services. 1.6

Approach **provide** the **user** with the requested additional **information**. ...

asna.ewi.utwente.nl/research/Ph.D.%20Theses/morales-phd-thesis.pdf - [Similar pages](#)

[PDF] 9 Existing Notification Services

File Format: PDF/Adobe Acrobat

receive from the event channel by specifying filters over the name/**value** pairs Gryphon is based on an **information** flow **model** for messaging [28, 354]. ...

www.springerlink.com/index/k0306h7330m42341.pdf - [Similar pages](#)

[PDF] D.KDM.02 – Proceedings of the First Workshop on Knowledge and ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

source schemas without relying on a central **mediator** or a hierarchy of mediators. The **Grid Information Model**, Proceedings of All Hands Meeting, 2004. ...

www.coregrid.net/mambo/images/stories/Deliverables/d.kdm.02.pdf - [Similar pages](#)

[PDF] Grid and Peer-to-Peer Resource Discovery Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The aim of the GLUE Schema is to **provide** an **Information Model** for Grid resources. the real **server's** resource **state**. This is necessary because the ...

www.unive.it/media/diplinformatica/phd/TD-2007-3.pdf - [Similar pages](#)

[PDF] Proceedings of VLDB Workshop on Information Integration on the Web ...

File Format: PDF/Adobe Acrobat

mex automatically reconciles **multiple** references to the. same real-world object. The **user** browses and queries all. this **information** through the domain **model** ...

cips.eas.asu.edu/iwebfinalproceedings/Proceedings-IIWeb-04.pdf - [Similar pages](#)

[PDF] Untitled

File Format: PDF/Adobe Acrobat

_ Support **multiple users** or roles. _ Retain **state information** from the targets it invokes. _ **Provide** persistence for objects ...

https://www.tatanka.com/download/exogen/security/saara.pdf - [Similar pages](#)

[PDF] Efficient Query Processing for Data Integration

File Format: PDF/Adobe Acrobat

of tuples into sets with the **same attribute values**) must inherently be blocking, **source server**. For the experiments on local data we used an 866MHz ...

www.cis.upenn.edu/~zives/research/thesis.pdf - [Similar pages](#)

[PDF] Proceedings of the 22nd Information Systems Research Seminar in ...

File Format: PDF/Adobe Acrobat

the **sensor values** lie well within the permitted range despite the strange on the internet **server provider** (ISP) data base. In this case, the **user** is ...

www.cs.jyu.fi/~timokk/iris22/IRIS22_Volume1.pdf - [Similar pages](#)

bibdata/HFS94-2a.bib bibdata/HFS94-2b.bib bibdata/HFS94-2c.bib ...

A Monte Carlo simulation was created to **model multiple** submovements. along with a variety of **sensors** and encoders to **provide information** about the ...

www.hcibib.org/bibtoc.cgi?file=bibdata/HFS94-2* - 562k - [Cached](#) - [Similar pages](#)

bibdata/HFS95-2a.bib bibdata/HFS95-2b.bib bibdata/HFS95-2c.bib ...

However, regression analyses did not support a **mediating** role for Group-view displays present **information** to **multiple** personnel simultaneously. ...

www.hcibib.org/bibtoc.cgi?file=bibdata/HFS95-2* - 526k - [Cached](#) - [Similar pages](#)

[PDF] A G A G I S

File Format: PDF/Adobe Acrobat

The conceptual **model** for geographic **values** must **provide** data ... **information** collected by **sensors** (e.g., satellites or meteorological stations) is better ...
rosalia.dc.fi.udc.es/lbd/...%5CPlainConsulta%5CArchivosAdministracion%5Ctrabajos_investigadores%5Ctrabajos... - [Similar pages](#)

[PDF] [ACTA UNIVERSITATIS UPSALIENSIS Uppsala Dissertations from the ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

large amounts of data over long period of time; iv) **provide** concurrent access. of **multiple users** to data. DBMSs utilize various data **models**, ...
user.it.uu.se/~milena/thesis.pdf - [Similar pages](#)

[PDF] [Untitled](#)

File Format: PDF/Adobe Acrobat

(MLS) confidentiality **model** protecting **user** data, and. the Biba integrity **model** protecting the transmission, and transitions to the **Receive state** for ...
www.isso.sparta.com/documents/asrv6.pdf - [Similar pages](#)

[PDF] [Telecooperation](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

server stub provides **receive**, threading, unmarshalling, calls **server** proc **value** and type of a **single attribute**. It is defined as a tuple ...
elara.tk.informatik.tu-darmstadt.de/LectureNotes/ws0607/TK1/TK1-K2-DistSys-WS06.pdf - [Similar pages](#)

[PDF] [Collaboration in Opportunistic Networks](#)

File Format: PDF/Adobe Acrobat

information source, although he might be interested in **receiving** the This **server** would **provide** the connection to the **Mediator** as well as manage the ...
elib.tu-darmstadt.de/diss/000834/heinemann07-diss.pdf - [Similar pages](#)

[PDF] [Third International Workshop on Distributed Event-Based Systems](#)

File Format: PDF/Adobe Acrobat

to **provide** management **information**. After **receiving**. requests from the Incident Management **state-based model** for distributed **sensor-driven** systems. ...
www-serl.cs.colorado.edu/~carzanig/debs04/debs04proceedings.pdf - [Similar pages](#)

[PDF] [I2-D1 Rule-based Policy Specification: State of the Art and Future ...](#)

File Format: PDF/Adobe Acrobat

when a policy specification has **multiple** stable **models**, the authors of [7] propose three **information providing** web to one that provides "services". ...
reverse.net/deliverables/i2-d1.pdf - [Similar pages](#)

[PDF] [Acquisition and analysis of performance data for mobile devices](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

value for end-users by **providing information** about the phone's central office (**source** off signal) and mobile network **server** connected with analysis ...
herkules.oulu.fi/isbn9514271319/isbn9514271319.pdf - [Similar pages](#)

[PDF] [3rd Workshop on Ontologies in Agent Systems](#)

File Format: PDF/Adobe Acrobat

Web services, which **provide** location **information** like **sensor**. (REQUEST. :sender **information source** with a **mediating** agent that dynamically ...
ebiquity.umbc.edu/get/a/publication/181.pdf - [Similar pages](#)

[PDF] [SI G M O D R e c o r d – D e c e m b e r 200 5 – V o l u m e 34 ...](#)

File Format: PDF/Adobe Acrobat

information source and **receiving** document counts and/or. document samples. exists some agreement among **multiple** data **providers**. Similarly, ...

www.sigmod.org/sigmod/record/issues/0512/sigmod-record.december2005.pdf - [Similar pages](#)

[PDF] [Data Broadcasting for Wireless Databases](#)

File Format: PDF/Adobe Acrobat

means the **server** disseminates a set of data periodically to a **multiple** number of of **user** involvement in a service by **providing** related **information**. ...

beast.csse.monash.edu.au/~srini/theses/Waluyo_thesis.pdf - [Similar pages](#)

1 2 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

modeling user state multiple sensors

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	13171	("706"/\$ "709"/\$ "715"/\$).cccls. and (middle proxy intermed\$5 mediator) with (server service computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:39
L2	13127	1 not abbott.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:40
L3	2568	2 and user with (state context\$4 situation condition behavior environment attributes variables) same (determin\$5 judg\$4 model\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:42
L4	2782	2 and user with (state context\$4 situation condition behavior environment attributes variables) same (determin\$5 construct\$5 judg\$4 model\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:43
L5	731	4 and request\$4 same (provid\$4 send\$4 presenting furnish\$4 communicat\$5) with (information value) with user	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:45
L6	383	5 and (receiv\$4 gather\$4 request\$4) with first with (source server service provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:46
L7	280	6 and (receiv\$4 gather\$4 request\$4) with (second another (third near2 party)) with (source server service provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:47
L8	265	5 and (receiv\$4 gather\$4 request\$4) with first with (source.server service provider) same (information value (first near5 value))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:47
L9	199	8 and (receiv\$4 gather\$4 request\$4) with (second another (third near2 party)) with (source server service provider) same (information value second)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:48
L10	57	9 and (averag\$4 mediat\$4 estimat\$4 judg\$4) same (first second)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:49

EAST Search History

L11	91	9 and (averag\$4 intermed\$5 mediat\$4 proximat\$4 estimat\$4 judg\$4) same (first second)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:49
L12	16	9 and (averag\$4 intermed\$5 mediat\$4 proximat\$4 estimat\$4 judg\$4) same (first second) with value	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:51
L13	5	12 and model\$5 with user	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:54
L14	16	12 and first with (value server source)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:55
L15	15	12 and first near3 (value server source)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:55
L16	11	15 and second near3 (value server source)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 12:59
L17	1	11 and mediated near (information value)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 13:05
L18	2	"6006251".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 13:07
L19	0	18 and (averag\$4 estimat\$4 middle mediat\$4 intermediat\$4) near5 (value information)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 13:08
L20	0	18 and (averag\$4 estimat\$4 middle mediat\$4 intermediat\$4) near5 (value information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 13:08

EAST Search History

L21	0	18 and (averag\$4 estimat\$4 middle mediat\$4 intermediat\$4) with (value information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 13:08
L22	0	18 and (first with second) with (provider server\$4) same (value information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 13:09
L23	0	18 and (first with second) with (provider serve\$4) same (value information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 13:09
L24	1	18 and (first with second) with (provider serv\$4) same (value information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 13:10
L25	1	18 and (first with second) with (provider serv\$4) same (integrat\$4 pick\$4) with (value information data)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 13:10
L26	1	18 and (first with second) with (provider serv\$4) same (integrat\$4 pick\$4) with (value information data) same (filter\$4 choos\$4 select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 13:12
L27	3	"20050034078"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/07/16 13:12